2024 RYKER



	Rotax® 600 ACE™	Rotax® 900 ACE™	
ENGINE			
Туре	Rotax® 600 ACE™ in-line 2 cylinders, liquid-cooled with electronic fuel injection and electronic throttle control	Rotax® 900 ACE™ in-line 3 cylinders, liquid-cooled with electronic fuel injection and electronic throttle control	
Bore & stroke	74 x 69,7 mm (2.9 x 2.7 in.)	74 x 69,7 mm (2.9 x 2.7 in.)	
Power	50 hp (37.3 kW) @ 7300 RPM	82 hp (61.1 kW) @ 8000 RPM	
Torque	49.7 Nm (36.7 ft-lb) @ 6000 RPM	79.1 Nm (58.3 ft-lb) @ 6500 RPM	
CO2 emissions	127 g/km	143 g/km	
Fuel consumption	5.4 l/100 km (43.6 mpg)	6.08 l/100 km (38.7 mpg)	
TRANSMISSION			
Туре	Automatic (CVT) with reverse	e function	
CHASSIS	-		
Front suspension	Double wishbone		
Front shocks type / travel	SACHS† Twin-tube coil-over shocks / 136 mm (5.35 in.)		
Rear suspension	Multi-link - mono swing arm		
Rear shocks type / travel	SACHS [†] Twin-tube coil-over shocks with preload adjustment / 145 mm (5.71 in.)		
Electronic brake distribution system	Foot-operated, hydraulic 3-wheel brake		
Front brakes	270 mm discs with Nissin 2-piston floating calipers		
Rear brake	220 mm disc, 1-piston floating caliper		
Parking brake	Park lock		
Front tires	MC 145/60R16 66T		
Rear tire	MC 205/45R16 77T		
Aluminum front rims	10-spoke, Platinum silver, 406 x 114 mm (16 x 4.5 in.)		
Aluminum rear rim	10-spoke, Platinum silver, 406 x 165 mm (16 x 6.5 in.)		
CAPACITY			
Rider capacity	1	1	
Maximum vehicle load	204 kg (449.7 lb)		
Storage capacity	7 L (1.85 gal)		
Fuel capacity	20 L (5.28 gal)		
Fuel Type	Premium unleaded		

DIMENSIONS	Rotax® 600 ACE™	Rotax® 900 ACE™	
LxWxH	2,352 x 1,522 x 1,063 mm (92.6 x 59.9 x 41.9 in.)	2,352 x 1,522 x 1,060 mm (92.6 x 59.9 x 41.7 in.)	
Wheelbase	1,709 mm	1,709 mm (67.3 in.)	
Seat height	599 mm (23.6 in.)	597 mm (23.5 in.)	
Ground clearance	97 mm (3.8 in.)		
Dry weight	270 kg (594 lb)	280 kg (616 lb)	
INSTRUMENTATION			
Туре	4.5" digital display		
Main Functions	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge and clock	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge, clock, ECO mode and Sport mode	
SAFETY & SECURITY			
SCS	Stability Control System		
TCS	Traction Control System		
ABS	Anti-lock Braking System		
Anti-theft system	Digitally Encoded Security System (D.E.S.S.™)		
HHC	Hill Hold Control		
COVERAGE			
Factory Warranty	2-year BRP Limited Warranty		
Roadside Assistance*	2-year roadside assistance provided by Allianz Assistance, world leader in Automotive and Travel assistance, on behalf of BRP.		
FEATURES			
	2 halogen headlamps (55-W) Front fenders with integrated LED lights Dual USB port Glove box Adaptive foam waterproof seat		

^{**}Only on Rotax 900 ACE Engine option



^{*}Available on vehicles registered by an authorized BRP dealer in the United Kingdom, Ireland, France, Netherlands, Belgium, Luxembourg, Germany, Austria, Switzerland, Italy, Spain or Portugal.



* In the UK, you can ride Can-Am On-Road vehicles with a car licence (B) from the age of 21 years old. In Norway, Finland and Sweden, you can ride Can-Am On-Road vehicles with a car licence (B) under certain conditions. More details on A and B licence requirements at canamonroad.com/licence. For all other countries, please ask your local authority.

EXCLUSIVE SERIES²

CLASSIC SERIES¹



EPIC SERIES

Carbon Black





Yellow Shock

Liquid Steel

Adrenaline Red







Icepop Blue

Lemon Twist

Silver Lava

Racer Red









Liquid Gold

Heritage Yellow

Sand Storm

Mint Freeze

NEW PANELS









Diablo Red

Blue Abyss

Goblin Green

Purple Galaxy

FEATURE HIGHLIGHTS

Immortal White





No need to worry about changing gears as your continuously variable transmission will find the perfect combination of performance and fuel efficiency for you.



ENGINE OPTIONS

The 2-cylinder Rotax 600 ACE is the ultimate in accessible performance, while the 3-cylinder Rotax 900 ACE is the power & excitement standard of choice!



DRIVESHAFT

Highly durable and robust driveshaft technology will help you enjoy a smooth ride all along the way. No need for further adjustment, alignment or maintenance.



Can be adjusted tool-free to fit the rider and provide a personalized and comfortable riding experience.




VSS SYSTEM

Vehicle Stability System that uses a variety of technologies, including SCS / ABS / TCS, to monitor the vehicle and keep the rider confident on the road.



CUSTOMIZATION

The Can-Am Ryker was engineered to be almost infinitely customizable with 1 or 2-up options! Mere moments are all it takes to give it a transformation.





2024 RYKER RALLY



PACKAGE HIGHLIGHTS

- Go off the beaten path
- Designed for fun with access to new playgrounds
- Unique rugged style
- · Authentic all-road rally experience







SHOWN WITH INTENSE BLACK PANELS

ENGINE		
Туре	Rotax* 900 ACE™ in-line 3 cylinders, liquid-cooled with electronic fuel injection and electronic throttle control	
Bore & stroke	74 x 69,7 mm (2.9 x 2.7 in.)	
Power	82 hp (61.1 kW) @ 8000 RPM	
Torque	79.1 Nm (58.3 ft-lb) @ 6500 RPM	
CO2 emissions	143 g/km	
Fuel consumption	6.08 l/100 km (38.7 mpg)	
TRANSMISSION		
Туре	Automatic (CVT) with reverse function	
CHASSIS		
Front suspension	Double wishbone	
Front shock type / travel	KYB† HPG with remote reservoir 4-positions compression adjustable damping and preload adjustment / 185 mm (7.28 in.)	
Rear suspension	Multi-link - mono swing arm	
Rear shocks type / travel	KYB† HPG with remote reservoir 4-positions compression adjustable damping and preload adjustment / 179 mm (7.05 in.)	
Electronic brake distribution system	Foot-operated, hydraulic 3-wheel brake	
Front brakes	270 mm discs with Nissin 2-piston floating calipers	
Rear brake	220 mm disc, 1-piston floating caliper	
Parking brake	Park lock	
Front tires	MC 145/60R16 66T	
Rear tire	MC 205/55R15 81T	
Aluminum front rims	Rally, Hyper Silver, 406 x 114 mm (16 x 4.5 in.)	
Aluminum rear rim	Rally, Hyper Silver, 381 x 165 mm (15 x 6.5 in.)	
CAPACITY		
Rider capacity	1	
Maximum vehicle load	187 kg (412.2 lb)	
Storage capacity	7 L (1.85 gal)	
Fuel capacity	20 L (5.28 gal)	
Fuel type	Premium unleaded	

Rotax® 900 ACE™

LxWxH	2,532 x 1,522 x 1,090 mm (92.6 X 59.9 X 42.9 in.)	
Wheelbase	1,709 mm (67.3 in.)	
Seat height	676 mm (26.6 in.)	
Ground clearance	122 mm (4.8 in.)	
Dry weight	303 kg (668 lb)	
INSTRUMENTATION		
Туре	4.5" digital display	
Main Functions	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge, clock, ECO mode and Rally mode	
SAFETY & SECURITY		
SCS	Stability Control System	
TCS	Traction Control System	
ABS	Anti-lock Braking System	
Anti-theft system	Digitally Encoded Security System (D.E.S.S.™)	
ннс	Hill Hold Control	
COVERAGE		
Factory Warranty	2-year BRP Limited Warranty	
Roadside Assistance*	2-year roadside assistance provided by Allianz Assistance, world leader in Automotive and Travel assistance, on behalf of BRP.	
FEATURES		
	2 halogen headlamps (55 W) / Front fenders with integrated LED lights / Dual USB port / Glovebox, MAX Mount Structure / Reinforced rims / Rally tires / Front grille protection / Structural hand guards / Rally mode / Cruise control / Akrapovic† exhaust / Rally handlebar / Rally comfort seat / Adjustable large anti-slip foot pegs / Front vehicle protection / Large aluminum skid plate / Air intake with pre-filter / Rally mud flaps	

*Available on vehicles registered by an authorized BRP dealer in the United Kingdom, Ireland, France, Netherlands, Belgium, Luxembourg, Germany, Austria, Switzerland, Italy, Spain or Portugal.





* In the UK, you can ride Can-Am On-Road vehicles with a car licence (B) from the age of 21 years old. In Norway, Finland and Sweden, you can ride Can-Am On-Road vehicles with a car licence (B) under certain conditions. More details on A and B licence requirements at canamonroad.com/licence. For all other countries, please ask your local authority.

EXCLUSIVE SERIES²

CLASSIC SERIES¹







Intense Black Adrenaline Red



Icepop Blue



Lemon Twist



Silver Lava



Racer Red



Liquid Gold



Heritage Yellow

Sand Storm



Mint Freeze

EPIC SERIES







NEW PANELS





Goblin Green



Purple Galaxy

FEATURE HIGHLIGHTS



AKRAPOVIC† EXHAUST Unique sound signature and high-end exhaust.



FULL KYB† HPG SHOCKS Front and rear KYB† HPG shocks with remote adjusters and 1 inch of extra suspension travel to optimize your ride and improve comfort.



MAX MOUNT STRUCTURE Makes the unit 1+1 ready. It also increases the carrying capacity for different storage options.



INCREASED VEHICLE PROTECTION

Get extra protection for higher durability with front vehicle protection, aluminum skid plate under the vehicle and reinforced rims.



UNIQUE RALLY EXPERIENCE

A vehicle designed for all-road trips with hand guards, Rally comfort seat for a more reactive rider position, mud flaps and large anti-slip adjustable foot pegs.



RALLY MODE & TIRES

Allows you to have more flexibility and fun off-pavement by optimizing VSS input and enabling you to perform controlled drifts with adapted all-road tires.



¹Choice of one set of Classic Panels included at the vehicle purchase. ²Exclusive Panel Kits are available in limited quantities.

2024 RYKER SPORT



PACKAGE HIGHLIGHTS

- Exciting & thrilling ride
- Designed for fun
- Bold sport styling
- Added comfort and convenience



PANELS





SHOWN WITH INTENSE BLACK

	Rotax® 900 ACE™	
ENGINE		
Туре	Rotax* 900 ACE™ in-line 3 cylinders, liquid-cooled with electronic fuel injection and electronic throttle control	
Bore & stroke	74 x 69,7 mm (2.9 x 2.7 in.)	
Power	82 hp (61.1 kW) @ 8000 RPM	
Torque	79.1 Nm (58.3 ft-lb) @ 6500 RPM	
CO2 emissions	143 g/km	
Fuel consumption	6.08 l/100 km (38.7 mpg)	
TRANSMISSION		
Туре	Automatic (CVT) with reverse function	
CHASSIS		
Front suspension	Double wishbone	
Front shock type / travel	KYB† HPG with preload ajdustment 161 mm (6.34 in.)	
Rear suspension	Multi-link - mono swing arm	
Rear shocks type / travel	KYB† HPG with remote reservoir 4-positions compression adjustable damping and preload adjustment / 169 mm (6.65 in.)	
Electronic brake distribution system	Foot-operated, hydraulic 3-wheel brake	
Front brakes	270 mm discs with Nissin 2-piston floating calipers	
Rear brake	220 mm disc, 1-piston floating caliper	
Parking brake	Park lock	
Front tires	MC 145/60R16 66T	
Rear tires	MC 205/45R16 77T	
Aluminum front rims	5-spoke, Deep Black, machined and tinted, 406×114 mm (16×4.5 in.)	
Aluminum rear rim	5-spoke, Deep Black, machined and tinted, 406 x 165 mm (16 x 6.5 in.)	
CAPACITY		
Rider capacity	1	
Maximum vehicle load	199 kg (438.7 lb)	
Storage capacity	7 L (1.85 gal)	
Fuel capacity	20 L (5.28 gal)	
	=	

Premium unleaded

Rotax®	900	ACE™
--------	-----	------

	1101071	
DIMENSIONS		
LxWxH	2,352 x 1,522 x 1,073 mm (92.6 x 59.9 x 42.2 in.)	
Wheelbase	1,709 mm (67.3 in.)	
Seat height	629 mm (24.7 in.)	
Ground clearance	101 mm (4.0 in.)	
Dry weight	291 kg (642 lb)	
INSTRUMENTATION		
Туре	4.5" digital display	
Main Functions	Speedometer, tachometer, odometer, trips, distance to empty, engine lights, fuel gauge, clock, ECO mode and Sport mode	
SAFETY & SECURITY		
SCS	Stability Control System	
TCS	Traction Control System	
ABS	Anti-lock Braking System	
Anti-theft system	Digitally Encoded Security System (D.E.S.S.™)	
HHC	Hill Hold Control	
COVERAGE		
Factory Warranty	2-year BRP Limited Warranty	
Roadside Assistance*	2-year roadside assistance provided by Allianz Assistance, world leader in Automotive and Travel assistance, on behalf of BRP.	
FEATURES		
	2 halogen headlamps (55 W)	
	Front fenders with integrated LED lights	
	Dual USB port	
	Glovebox	
	Full rear fender	
	Sport comfort seat	
	MAX Mount Structure	
	Sport style trims and finishes	
	Cruise control	
	Sport mode	

^{*}Available on vehicles registered by an authorized BRP dealer in the United Kingdom, Ireland, France, Netherlands, Belgium, Luxembourg, Germany, Austria, Switzerland, Italy, Spain or Portugal.



Fuel type



* In the UK, you can ride Can-Am On-Road vehicles with a car licence (B) from the age of 21 years old. In Norway, Finland and Sweden, you can ride Can-Am On-Road vehicles with a car licence (B) under certain conditions. More details on A and B licence requirements at canamonroad.com/licence. For all other countries, please ask your local authority.

CLASSIC SERIES¹







Adrenaline Red

Yellow Shock

EPIC SERIES





Immortal White



EXCLUSIVE SERIES²



Icepop Blue



Lemon Twist





Silver Lava











Heritage Yellow

Mint Freeze Sand Storm

NEW PANELS

Liquid Gold









Diablo Red

Blue Abyss

Goblin Green

Purple Galaxy

FEATURE HIGHLIGHTS





No need to keep the throttle at all times, the cruise control can be switched on to maintain a selected constant speed.



KYB[†] HPG SHOCKS

KYB† HPG shocks with remote adjusters on the rear for different riding experiences.



MAX MOUNT STRUCTURE

Makes the unit 1+1 ready. It also increases the carrying capacity for different storage options.



SPORT MODE

Allows you to have more fun on paved roads. Sport mode loosens the traction control of the rear wheel enabling you to perform controlled drifts.



DRIVESHAFT

Highly durable and robust driveshaft technology will help you enjoy a smooth ride all along the way. No need for further adjustment, alignment or maintenance.



SPORT STYLE TRIMS AND FINISHES

Modern design with a sleeker look for sport style enthusiasts.



¹Choice of one set of Classic Panels included upon vehicle purchase. ²Exclusive Panel Kits are available in limited quantities.